

Notice of Allowability

Application No.

10/608,952

Examiner

Duane S. Smith

Applicant(s)

LINNERSTEN ET AL.

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 1-14.
3. ☒ The drawings filed on 23 June 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.
5. ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| 1 <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 2 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3 <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 4 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____. |
| 5 <input type="checkbox"/> Information Disclosure Statements (PTO-1449), Paper No. _____. | 6 <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 7 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other _____ |

Duane S. Smith
Primary Examiner
Art Unit: 1724

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

At page 1 line 9 after "March 1, 1999" has been inserted --which claims benefit of provisional application 60/076,395 filed Feb. 28, 1998.--

Claims 1-14 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance: None of the prior art of record teach nor suggest the claimed features of A gas-liquid separator for mounting in a tank assembly; the separator comprising: (a) a mounting plate assembly including a flange portion and an inverted trough portion; (i) the flange portion and inverted trough portion being separated from one another, in the mounting plate, by turns in the mounting plate; (ii) the flange portion being positioned non-coplanar with the inverted trough portion; (b) an upstream coalescing stage having a funnel shape with: (i) a wide end secured to the inverted trough portion of the mounting plate; and, (ii) a narrow end remote from the wide end; and, (c) a downstream drain stage surrounded by the coalescing stage layer and secured to the inverted trough portion of the mounting plate nor A method of mounting a gas-liquid separator in a tank assembly; the method comprising steps of: (a) mounting a drain stage element over an air outlet in a tank assembly; (i) the drain stage element having a wide end secured to an open end cap and a narrow end remote from the wide end; (ii) the drain stage element being mounted

with the wide end over the air outlet; and, (b) after the step of mounting a drain stage element, separately mounting a coalescing stage element over and adjacent the drain stage element; the coalescing stage element having a funnel shape with a wide end secured to an open end cap; the coalescing stage element being mounted with the wide end over and adjacent the air flow outlet.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Linnersten et al '790, Pruette et al, and Morgan disclose similar apparatus and methods.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duane S. Smith whose telephone number is 703-308-3792. The examiner can normally be reached on 8:30-6:00 M-TH.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on 703-308-1261. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Application/Control Number: 10/608,952
Art Unit: 1724

Page 4

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.

Duane S. Smith
Primary Examiner
Art Unit 1724

Dss
11-6-03

DS
11-6-03